hansgrohe







v.7-25



For your convenience, these products are stocked in our Central Service Center.

Orders placed before noon are available within 1 business day.

MOSAIC Products. Design. Solutions.

Please note the state of Maryland has a 2.0GPM Plumbing Provision in place as of January 1st, 2024 Prices subject to change.

Joleena Collection



Single Hole Lavatory Faucet Pop-Up Drain Included

	· · · · · · · · · · · · · · · · · · ·	
Matte Black	HG04771670	\$263.25
Brushed Nickel	HG04771820	\$263.25



Widespread Lavatory Faucet Pop-Up Drain Included

Matte Black	HG04774670	\$444.60
Brushed Nickel	HG04774820	\$444.60



24" Towel Bar

	21 101101 201	
Matte Black	HG04785670	\$79.95
Brushed Nickel	HG04785820	\$79.95

Robe Hook

HG04788670

HG04788820

\$29.25

\$29.25



Towel Ring

Matte Black	HG04786670	\$79.95
Brushed Nickel	HG04786820	\$79.95



Paper Holder

Matte Black	HG04787670	\$68.90
Brushed Nickel	HG04787820	\$68.90



Showerhead 150 1-Jet / 2.5GPM

. 661, 21661 111			
	Matte Black	HG04933670	\$92.30
	Brushed Nickel	HG04933820	\$92.30



Hand Shower 95 1-Jet / 2.5GPM

Select either a Holder or Wall Bar to accompany this product.






Pressure Balance Trim

Matte Black	HG04779670	\$206.70
Brushed Nickel	HG04779820	\$206.70

Required rough valve HG1850181 not included



Matte Black	HG04775670	\$140.40
Brushed Nickel	HG04775820	\$140.40



Matte Black

Brushed Nickel







Joleena Collection

Metropol



Metropol Widespread Lavatory Faucet Lever Handles / Pop-Up Drain / 1.2 GPM

	<u> </u>	
Chrome	HG32516001	\$587.60
Brushed Nickel	HG32516821	\$775.45





Metropol Classic Widespread Lavatory Faucet Lever Handles / Pop-Up Drain / 1.2 GPM

Chrome	HG31330001	\$569.40
Brushed Nickel	HG31330821	\$752.05



Talis E Single Hole Lavatory Faucet Pop-Up Drain / 1.2 GPM

·	<u>'</u>	
Matte Black	HG71710671	\$262.60
Chrome	HG71710001	\$198.25
Brushed Nickel	HG71710821	\$262.60
Brushed Bronze	HG71710141	\$262.60



Talis E Widespread Lavatory Faucet Lever Handles / Pop-Up Drain / 1.2 GPM

Matte Black	HG71733671	\$436.15
Chrome	HG71733001	\$330.85
Brushed Nickel	HG71733821	\$436.15
Brushed Bronze	HG71733141	\$436.15



Metropol Wall Mounted Tub Spout


<u>'</u>		•
Chrome	HG32542001	\$178.75
Brushed Nickel	HG32542821	\$235.95



Talis S Wall Mounted Tub Spout with Diverter

Tails 5 Wall IV	Tails 3 Wall Mounted Tub Spout With Diverter		
Matte Black	HG72411671	\$215.80	
Chrome	HG72411001	\$164.45	
Brushed Nickel	HG72411821	\$215.80	
Brushed Bronze	HG72411141	\$215.80	





Shower Functions

Shower Functions



Standard 6" Shower Arm

Chrome	HG27411003	\$33.15	
Brushed Nickel	HG27411823	\$44.20	



Standard 9" Shower Arm

Matte Black	HG04186673	\$89.05
Chrome	HG04186003	\$68.25
Brushed Nickel	HG04186823	\$89.05
Brushed Bronze	HG04186143	\$89.05



Raindance 9" Shower Arm

Brushed Nickel	HG27422821	\$152.10



Raindance E Extension Pipe for Ceiling Mount

		- 5
Chrome	HG27393001	\$105.95
Brushed Bronze	HG27393141	\$143.65



Croma Select S Showerhead 180 2-Jet / 2.5 GPM

Matte Black	HG04825670	\$335.40
Chrome	HG04825000	\$253.50
Brushed Nickel	HG04825820	\$335.40
Brushed Bronze	HG04825140	\$335.40



Raindance E – Chrome Shower Arm, 15" Showerhead 300 / 1-Jet / 1.8 GPM

	Shower Arm	HG04731000	\$169.00
	Showerhead	HG26240001	\$505.05



Raindance E – Matte Black Shower Arm, 15" Showerhead 300 / 1-Jet / 1.8 GPM

Shower Arm	HG04731670	\$223.60
Showerhead	HG26240671	\$666.90



Raindance Select S Hand Shower 120 3-Jet / 2.5 GPM

Matte Black	HG26037671	\$190.45
Chrome	HG26037001	\$143.00
Brushed Nickel	HG26037821	\$190.45
Brushed Bronze	HG26037141	\$190.45

Select either a Holder or Wall Bar to accompany this product.



Rainfinity Hand Shower 130 3-Jet / 2.5 GPM

0 00t / 2.0 GI W		
Brushed Nickel *	HG26864821	\$192.40

Select either a Holder or Wall Bar to accompany this product.

Shower Functions



Wall Outlet with Check Valves

Matte Black	HG26455671	\$115.05
Chrome	HG26455001	\$87.10
Brushed Nickel	HG26455821	\$115.05



Wall Outlet with Check Valves

Matte Black	HG27458673	\$83.20
Chrome	HG27458003	\$63.70
Brushed Nickel	HG27458823	\$83.20
Brushed Bronze	HG27458143	\$83.20

Hand Shower Holder Classic

HG28324670

Handshower, Hose, and FixFit sold separately.

\$50.05

Matte Black



Shower Functions

Chrome



-		
Chrome	HG28632000	\$166.40
Brushed Nickel	HG28632820	\$219.70

Hose included. FixFit and Hand Shower sold separately.



Hand Shower Holder S

Matte Black	HG28331670	\$48.10	
Chrome	HG28331000	\$37.70	
Brushed Nickel	HG28331820	\$48.10	
Brushed Bronze	HG28331140	\$48.10	

Handshower, Hose, and FixFit sold separately. Coming soon



Shower Arm Mount for Hand Shower

Matte Black	HG04580670	\$44.20
Chrome	HG04580000	\$33.15
Brushed Nickel	HG04580820	\$44.20

Handshower and Hose sold separately.



Har	nd	S	ho	WE	er F	\dashv	O	d	ϵ
		_					_		_

Brushed Bronze	HG28387141	\$66.95









Shower Hose Techniflex, 63"

Matte Black	HG28276673	\$68.25
Chrome	HG28276003	\$51.35
Brushed Nickel	HG28276823	\$68.25
Brushed Bronze	HG28276143	\$68.25



Brushed Bronze	HG28387141	\$66.95

Handshower, Hose, and FixFit sold separately.



Bodyvette Body Shower 1-Jet with Stop HG28467001

\$195.65

Shower Trims

Diverter Trim / Valve



Matte Black

Chrome

Brushed Nickel

Brushed Bronze













Pressure Balance Trim

Matte Black	HG15739671	\$224.25
Chrome	HG15739001	\$170.30
Brushed Nickel	HG15739821	\$224.25
Brushed Bronze	HG15739141	\$224.25

Required rough valve HG1850181 not included







Ecostat Diverter Trim S Trio/Quattro

HG	i4232000	\$111.15	
kel HG	04232820	\$146.90	
nze HG(04232140	\$146.90	
	kel HG		kel HG04232820 \$146.90

Quattro or Trio Diverter required



Trio 2-Way Diverter, 3/4"

•	· ·
HG15984181	\$179.40



Quattro 3-Way Diverter, 3/4"

11









\$575.25 \$435.50

\$575.25

\$575.25

Ecostat Square

Thermostatic Trim with Volume Control and Diverter

HG15758671

HG15758001

HG15758821

HG15758141

Required rough valve HG1850181 not included

Thermostatic Trim with Volume Control and Diverter

Matte Black	HG15714671	\$575.25
Chrome	HG15714001	\$435.50
Brushed Nickel	HG15714821	\$575.25
Brushed Bronze	HG15714141	\$575.25

Required rough valve HG1850181 not included





ShowerSelect S Thermostatic Trim for 2 Functions

Thornostatio min of 21 anotions		
Chrome	HG15743001	\$541.45
Brushed Nickel	HG15743821	\$714.35

Required rough valve HG1850181 not included



Ecostat Square Pressure Balance Trim

Brushed Nickel	HG15724821	\$224.25

Required rough valve HG1850181 not included



Ecostat Classic Thermostatic Trim with Volume Control and Diverter

Brushed Nickel *	HG15728821	\$575.25
Drushed Mickel	HG13720021	φ3/3.23

Required rough valve HG1850181 not included





ShowerSelect Thermostatic Trim for 2 Functions

Chrome	HG15763001	\$541.45
Brushed Nickel	HG15763821	\$714.35

Required rough valve HG1850181 not included



^{*} Noted items are available only while QuickSHIP stock lasts

Shower Rough-Ins





Tub Rough-Ins



Freestanding Tub Filler HG10452181

\$490.75



Hot Water Tempering Thermo Mixing Valve for Floor Mount Tub Fillers

HG-WA0559116 \$127.23

12



3-Hole Roman Tub Set HG6607000 \$237.90



4-Hole Roman Tub Set HG06646000 \$356.20

Non-Close Sink Drain



Non-Close Drain

Brushed Nickel * HG50001821 \$73.45

* Noted items are available only while QuickSHIP stock lasts

Dog Showers



DogShower 150, 3-Jet Select with Quick Connect

-9		
Matte Black	HG04973670	\$118.30
Matte White	HG04973700	\$118.30
Pink	HG04973560	\$118.30
Sky Blue	HG04973540	\$118.30

- Consists of: Hand Shower, Quick Connector
- Shower head size: 150 x 63 mm
- Spray modes: Fur Spray, Leg Spray, Paw Spray
- Select button for comfortable alternation of spray modes
- Flow: 1.75 GPM (6.6 L/Min)
- Elongated, brush-like nozzles (1.5 cm) for thorough cleaning with massage effect
- Ergonomic design
- Water Boost: Boost function to increase waterflow when needed
- Suitable for continous flow water heaters
- Connection dimension: DN15
- Rinseable screen seal
- Integrated double backflow prevention

Please Note: This product is available via Special Order only. Allow 2 weeks lead time plus applicable freight.



iBox: Revolutionary Technology



Water-Tight Seals All Around

Rubber seals on the housing and carrier plate create a water-tight installation. Any potential leaks drain into the shower compartment, not into the wall.



Multiple Mounting Options

Multiple mounting points and depth options allow the rough to be installed with any commonly used mounting system.



Built-In Service Stops

Allows easy servicing of the valve and other components.




180° Rotational Symmetry

Even if the rough is installed upside down, the trim can still be mounted to the rough, avoiding costly repairs.



Simplified Pipe Flushing

The rough can easily be flushed prior to installing the function block. Hot and cold water remain isolated while passing through the flushing insert.



Extension Set

Even if the rough has been mounted too deeply into the wall, the problem is easily solved with an extension set. The extension set (sold separately) ensures a watertight seal, keeping the walls free from dampness.



Trim Includes Function Block

Function block is supplied with trim, not the rough, allowing trim to be ordered later in the process, which may reduce warehousing, theft, and damage due to dirt or frost during the building phase.

Reduced Noise Transfer

The brass function block

rests on rubber seals, so pipe vibrations transferred

The trim carrier plate

the function block,

minimizing noise

to the wall will be reduced.

attaches to the housing, not

transfer to the finished wall.



Shallow Extension Set

Limited installation depths are not a problem, thanks to the shallow extension set. Simply installing the set between the tiles and trim allows for installation in walls as shallow as 21/4".



iBox: Installation



iBox Universal Plus **Package Contents**

Rough, installation flange, 1 plug, flushing insert, protective cap, and assembly instructions.



When using copper pipes, connection fittings should be created prior to installation.



connection fittings.





Level Mounting

Mount the rough in exactly the right position using the integrated leveling points.



Connect Water Supply

Solder the water supply pipes and other risers to the previously installed fittings. Note: Please maintain a minimum 4" distance from the

housing while soldering.



Valve Flushing

Simply turn on the water supply to flush the valve. The water passes through the flushing insert, which comes pre-installed.



Shut Off Water

After flushing, shut off water using built-in service stops, operated by an Allen wrench or flathead screwdriver. Replace protective cap.



in the wall material to



Trim a 5" diameter hole


accommodate the rough.

iBox + ShowerSelect Trims

By integrating the iBox Universal Plus rough with ShowerSelect trims, the hansgrohe brand has done it once again. Creating the perfect shower installation has never been so easy. Geometric design and revolutionary push-button control are

combined into a sleek package. A simple touch of a button is all it takes to switch functions on and off, or to change the spray modes. Everything works purely mechanically, providing long-lasting reliability and satisfaction. Hansgrohe

ShowerSelect Trims are available with square or round escutcheon plates.



Shower Trim Installation



Trim Package Contents
Escutcheon, carrier plate,
function block, support
housings, mounting screws,
handles, handle adaptors,
and assembly instructions.



Remove Excess
Plaster Shield
Cut the excess plaster
shield until it protrudes
approximately 1/8" beyond
the finished wall.



Seal With Silicone
To prevent moisture from entering the wall, seal the joint between the rough and the finished wall with silicone.



Remove Flushing Insert
Remove protective cap, then
remove flushing insert by
removing Allen screw.
Remember to shut off the
water if necessary using the
service stops!



Using the four mounting screws provided, install the function block on the rough. Re-open service stops to turn on water supply.



Install Carrier Plate
Use the included plastic
screws to attach the carrier
plate to the rough housing,
preventing noise transfer
and water leaks.



Install the Escutcheon
Simply fit escutcheon over
the carrier plate — no screws
or bolts needed. Rubber seal
and O-rings on cartridges
guarantee a firm hold.



Install the Handles
Finally, attach handles with
the included set screws.



Completed Shower



Installation Video
For more information, scan
for a video on the iBox
Universal Plus rough.

Care Instructions

Cleaning the showerhead:

Incorrect cleaning methods and agents may damage to your showerhead. This damage is not covered by warranty.

- Use a soft, clean cloth, but never abrasive items such as sponges or microfiber cloths.
- Do not use steam cleaners, because high temperatures can damage the shower.
- Only use gentle cleaning agents, for example citric acid-based ones. Do not use any cleaning agents containing hydrochloric acid, formic acid, chlorine bleach or acetic acid, as they may cause significant damage. Cleaners containing phosphoric acid can only be used under certain conditions. Never mix cleaning agents!
- Never spray cleansers directly on showers, because spray mist can penetrate into the shower and cause damage. It's best to spray the cleaning agent on a soft cloth and then use it wipe off the surfaces.
- After cleaning, rinse your shower thoroughly with clear water.

Cleaning the faucet:

A faucet is in daily use. While it takes care of cleaning, it itself often becomes a "victim" of dirt and grime. Our hands leave behind greasy residues, along with dirt particles and more. Water also places the material under strain in the form of limescale deposits.

- Step 1: The finish on the faucet is best cleaned with a soft cotton cloth (slightly damp only if necessary). By gently wiping, you will already remove most of the dirt without damaging the material. Please do not use sponges, brushes, or microfiber cloths.
- Step 2: Limescale residues are typically deposited in corners and at joints. For this, use a mild, citric acid-based cleanser. Please do not spray the concentrate directly onto the faucet but onto a cloth instead.
- Step 3: The aerator is easy to remove for cleaning. If you place it in warm water with a little cleaning agent, the deposits will dissolve after about ten minutes of exposure. Lots of hansgrohe products are equipped with QuickClean technology. With this quick anti-limescale function, you can easily rub limescale off of the faucet.
- Step 4: Thoroughly rinse the faucet with clear water.
- Step 5: Repeat the first step again to remove any cleaning agent residues and give the surface a radiant finish.

Choosing a cleaning agent:

We recommend to use a gentle citric acid-based cleaning agent. Conventional concentrates with lots of cleaning power often irritate hands and eyes; they can trigger allergies and irritate sensitive skin. The faucet reacts similarly. Its material is also attacked if the chemicals are too strong. The damage may go unnoticed at first, but microscopically small scratches or superficial burns are all it takes to cloud the high-gloss finish. In the long term, more dirt and limescale can accumulate in these spots. Gentle cleaning agents are also more environmentally friendly.

If you have hard water in your region, limescale deposits are likely. Keep residues from accumulating by briefly wiping the faucet after each rinsing or washing. This removes tap water before it has a chance to leave deposits behind.

Warranty

This limited warranty extends to the original purchaser only. This warranty is non-transferable. Hansgrohe, Inc. neither assumes nor authorizes any person to create for it any other obligation or liability in connection with this product. If you are a consumer who purchased the product for use primarily for personal, family or household purposes, this limited warranty starts on the date of purchase and extends for as long as you own the product and the home in which the product is originally installed. If you purchased the product for use primarily for any other purpose, including, without limitation, a commercial purpose, this limited warranty starts on the date of purchase and extends (i) for 1 year, with respect to hansgrohe brand products and commercial products, and (ii) for 5 years, with respect to AXOR products. The Rubbed Bronze finish is subject to a 3-year limited warranty starting on the date of purchase.

This limited warranty covers only your manufactured product. Hansgrohe, Inc. warrants this product against defects in material or workmanship as follows: Hansgrohe, Inc. will replace at no charge for parts only or, at its option, replace any product or part of the product that proves defective because of improper workmanship and/ or material, under normal installation, use, service and maintenance. If Hansgrohe, Inc. is unable to provide a replacement and repair is not practical or cannot be made in timely fashion, Hansgrohe, Inc. may elect to refund the purchase price in exchange for the return of the product. Labor is not included in the warranty.

This warranty is limited to products manufactured by Hansgrohe, Inc. that are purchased from a Hansgrohe, Inc. authorized seller by a consumer in the United States or Canada after September 1, 2019, and installed in either the United States or Canada.











Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA North Bethesda, MD^* | Owings Mills, MD^* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com















