

hansgrohe



v.5-24



For your convenience, these products are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.

Please note the state of Maryland has a 2.0GPM Plumbing Provision in place as of January 1st, 2024.

mosaic 
Products. Design. Solutions.

Joleena Collection



Single Hole Lavatory Faucet
Pop-Up Drain Included

Matte Black	HG04771670	\$243.75
Brushed Nickel	HG04771820	\$243.75



Widespread Lavatory Faucet
Pop-Up Drain Included

Matte Black	HG04774670	\$412.10
Brushed Nickel	HG04774820	\$412.10



Showerhead 150
1-Jet / 2.5GPM

Matte Black	HG04933670	\$81.90
Brushed Nickel	HG04933820	\$81.90



Handshower 95
1-Jet / 2.5GPM

Matte Black	HG04934670	\$113.10
Brushed Nickel	HG04934820	\$113.10

Select either a Holder or Wall Bar to accompany this product.



Pressure Balance Trim

Matte Black	HG04779670	\$206.70
Brushed Nickel	HG04779820	\$206.70



Tub Spout with Diverter

Matte Black	HG04775670	\$125.45
Brushed Nickel	HG04775820	\$125.45



Joleena Collection



24" Towel Bar

Matte Black	HG04785670	\$74.10
Brushed Nickel	HG04785820	\$74.10



Towel Ring

Matte Black	HG04786670	\$74.10
Brushed Nickel	HG04786820	\$74.10



Robe Hook

Matte Black	HG04788670	\$27.30
Brushed Nickel	HG04788820	\$27.30



Paper Holder

Matte Black	HG04787670	\$63.70
Brushed Nickel	HG04787820	\$63.70



Kitchen Faucet

Matte Black	HG04793670	\$415.35
Steel Optic	HG04793800	\$415.35



Soap Dispensers

Matte Black	HG04796670	\$51.35
Steel Optic	HG04796800	\$51.35

Metris



Metris Single Hole Lavatory Faucet
Pop-Up Drain / 1.2 GPM

Brushed Nickel *	HG31080821	\$396.50
------------------	------------	----------

Metropol



Metropol Widespread Lavatory Faucet
Lever Handles / Pop-Up Drain / 1.2 GPM

Chrome	HG32516001	\$548.60
Brushed Nickel	HG32516821	\$724.10

Metropol Classic



Metropol Classic Widespread Lavatory Faucet
Lever Handles / Pop-Up Drain / 1.2 GPM

Chrome	HG31330001	\$542.10
Brushed Nickel	HG31330821	\$716.30



Metropol Wall Mounted Tub Spout

Chrome	HG32542001	\$167.05
Brushed Nickel	HG32542821	\$220.35

Talis E / S



Talis E Single Hole Lavatory Faucet
Pop-Up Drain / 1.2 GPM

Matte Black	HG71710671	\$234.65
Chrome	HG71710001	\$177.45
Brushed Nickel	HG71710821	\$234.65
Brushed Bronze	HG71710141	\$234.65



Talis E Widespread Lavatory Faucet
Lever Handles / Pop-Up Drain / 1.2 GPM

Matte Black	HG71733671	\$390.65
Chrome	HG71733001	\$295.75
Brushed Nickel	HG71733821	\$390.65
Brushed Bronze	HG71733141	\$390.65



Talis S Wall Mounted Tub Spout with Diverter

Matte Black	HG72411671	\$200.20
Chrome	HG72411001	\$152.10
Brushed Nickel	HG72411821	\$200.20
Brushed Bronze	HG72411141	\$200.20



* Noted items are available only while QuickSHIP stock lasts

Shower Functions



Standard 6" Shower Arm

Chrome	HG27411003	\$31.20
Brushed Nickel	HG27411823	\$40.95



Standard 9" Shower Arm

Matte Black	HG04186673	\$82.55
Chrome	HG04186003	\$63.05
Brushed Nickel	HG04186823	\$82.55
Brushed Bronze	HG04186143	\$82.55



Raindance Classic Showerhead 150
3-Jet / 2.5 GPM

Chrome	HG28471001	\$235.30
Brushed Nickel	HG28471821	\$310.70



Raindance S Showerhead 150
3-Jet / 2.5 GPM

Chrome	HG27495001	\$198.90
Brushed Nickel	HG27495821	\$262.60



Raindance 9" Shower Arm

Chrome	HG27422001	\$115.05
Brushed Nickel	HG27422821	\$152.10



Raindance E Extension Pipe for Ceiling Mount

Matte Black	HG27393671	\$133.25
Chrome	HG27393001	\$100.75
Brushed Nickel	HG27393821	\$133.25
Brushed Bronze	HG27393141	\$133.25



Raindance Select S Showerhead 240
2-Jet / 2.5 GPM

Chrome	HG26469001	\$440.70
Brushed Nickel	HG26469821	\$581.75



Croma Select S Showerhead 180
2-Jet / 2.5 GPM

Matte Black	HG04825670	\$310.70
Chrome	HG04825000	\$235.30
Brushed Nickel	HG04825820	\$310.70
Brushed Bronze	HG04825140	\$310.70

Shower Functions



Raindance E – Chrome
Shower Arm, 15"
Showerhead 300 / 1-Jet / 1.8 GPM

Shower Arm	HG4731000	\$161.20
Showerhead	HG26240001	\$481.00



Raindance E – Brushed Nickel
Shower Arm, 15"
Showerhead 300 / 1-Jet / 1.8 GPM

Shower Arm	HG04731820	\$213.20
Showerhead	HG26240821	\$635.05



Raindance E – Matte Black
Shower Arm, 15"
Showerhead 300 / 1-Jet / 1.8 GPM

Shower Arm	HG04731670	\$213.20
Showerhead	HG26240671	\$635.05



Raindance Select S Handshower 120
3-Jet / 2.5 GPM

Matte Black	HG26037671	\$170.30
Chrome	HG26037001	\$128.05
Brushed Nickel	HG26037821	\$170.30
Brushed Bronze	HG26037141	\$170.30

Select either a Holder or Wall Bar to accompany this product.



Rainfinity Handshower 130
3-Jet / 2.5 GPM

Brushed Nickel *	HG26864821	\$192.40
------------------	------------	----------

Select either a Holder or Wall Bar to accompany this product.



Raindance Classic Handshower 100
3-Jet / 2.5 GPM

Chrome	HG28548001	\$174.20
Brushed Nickel	HG28548821	\$229.45

Select either a Holder or Wall Bar to accompany this product.

* Noted items are available only while QuickSHIP stock lasts

Shower Functions



Shower Hose Techniflex, 63"

Matte Black	HG28276673	\$61.10
Chrome	HG28276003	\$46.15
Brushed Nickel	HG28276823	\$61.10
Brushed Bronze	HG28276143	\$61.10



Shower Hose Metal, 63"

Chrome	HG28116000	\$104.00
Brushed Nickel	HG28116820	\$137.80



FixFit

Wall Outlet with Check Valves

Matte Black	HG26455671	\$101.40
Chrome	HG26455001	\$76.70
Brushed Nickel	HG26455821	\$101.40



FixFit

Wall Outlet with Check Valves

Matte Black	HG27458673	\$71.50
Chrome	HG27458003	\$53.95
Brushed Nickel	HG27458823	\$71.50
Brushed Bronze	HG27458143	\$71.50



Handshower Holder S

Chrome	HG28331000	\$34.45
Brushed Nickel	HG28331820	\$44.85

Handshower, Hose, and FixFit sold separately.



Handshower Holder Classic

Matte Black	HG28324670	\$46.15
-------------	------------	---------

Handshower, Hose, and FixFit sold separately.



Shower Arm Mount for Handshower

Matte Black	HG04580670	\$40.95
Chrome	HG04580000	\$31.20
Brushed Nickel	HG04580820	\$40.95

Handshower and Hose sold separately.



Handshower Holder

Brushed Bronze	HG28387141	\$66.95
----------------	------------	---------

Handshower, Hose, and FixFit sold separately.

Shower Functions



Bodyvette Body Shower 1-Jet with Stop

Chrome	HG28467001	\$186.55
Brushed Nickel	HG28467821	\$246.35



Unica Wallbar S, 24"

Chrome	HG28632000	\$148.85
Brushed Nickel	HG28632820	\$196.30

Hose included. Fixfit and Handshower sold separately.



Shower Trims



Ecostat S

Thermostatic Trim with Volume Control and Diverter

Matte Black	HG15758671	\$575.25
Chrome	HG15758001	\$435.50
Brushed Nickel	HG15758821	\$575.25
Brushed Bronze	HG15758141	\$575.25



Ecostat S

Pressure Balance Trim

Matte Black	HG15739671	\$224.25
Chrome	HG15739001	\$170.30
Brushed Nickel	HG15739821	\$224.25
Brushed Bronze	HG15739141	\$224.25



Ecostat Square

Thermostatic Trim with Volume Control and Diverter

Matte Black	HG15714671	\$575.25
Chrome	HG15714001	\$435.50
Brushed Nickel	HG15714821	\$575.25
Brushed Bronze	HG15714141	\$575.25



Ecostat Square
Pressure Balance Trim

Chrome	HG15724001	\$170.30
Brushed Nickel	HG15724821	\$224.25



ShowerSelect
Thermostatic Trim for 2 Functions

Chrome	HG15763001	\$541.45
Brushed Nickel	HG15763821	\$714.35



ShowerSelect S
Thermostatic Trim for 2 Functions

Chrome	HG15743001	\$541.45
Brushed Nickel	HG15743821	\$714.35



Ecostat Classic
Thermostatic Trim with Volume Control and Diverter

Chrome *	HG15728001	\$435.50
Brushed Nickel *	HG15728821	\$575.25

Diverter Trim / Valve



Ecostat

Diverter Trim S Trio/Quattro

Matte Black	HG04232670	\$146.90
Chrome	HG4232000	\$111.15
Brushed Nickel	HG04232820	\$146.90
Brushed Bronze	HG04232140	\$146.90

Quattro or Trio Diverter required



Trio 2-Way Diverter, 3/4"

HG15984181	\$161.20
------------	----------



Quattro 3-Way Diverter, 3/4"

HG15930181	\$208.65
------------	----------



Shower Rough-Ins



iBox Universal Plus with Service Stops, 3/4"

HG1850181	\$88.27
-----------	---------



Showerpipe Basic Set

HG16181181	\$56.55
------------	---------

Tub Rough-Ins



Freestanding Tub Filler

HG10452181	\$576.55
------------	----------



3-Hole Roman Tub Set

HG6607000	\$220.35
-----------	----------



Hot Water Tempering Thermo Mixing Valve
for Floor Mount Tub Fillers

HG-WA0559116	\$108.02
--------------	----------



4-Hole Roman Tub Set

HG06646000	\$330.20
------------	----------

Non-Close Sink Drain



Non-Close Drain

Brushed Nickel *	HG50001821	\$73.45
------------------	------------	---------

* Noted items are available only while QuickSHIP stock lasts

Dog Showers



DogShower 150, 3-Jet Select with Quick Connect


Matte Black	HG04973670	\$109.85
Matte White	HG04973700	\$109.85
Pink	HG04973560	\$109.85
Sky Blue	HG04973540	\$109.85

- Consists of: Handshower, Quick Connector
- Shower head size: 150 x 63 mm
- Spray modes: Fur Spray, Leg Spray, Paw Spray
- Select button for comfortable alternation of spray modes
- Flow: 1.75 GPM (6.6 L/Min)
- Elongated, brush-like nozzles (1.5 cm) for thorough cleaning with massage effect
- Ergonomic design
- Water Boost: Boost function to increase waterflow when needed
- Suitable for continuous flow water heaters
- Connection dimension: DN15
- Rinseable screen seal
- Integrated double backflow prevention


Please Note: This product is available via Special Order only. Allow 2 weeks lead time plus applicable freight.




iBox: Revolutionary Technology



Water-Tight Seals All Around
Rubber seals on the housing and carrier plate create a water-tight installation. Any potential leaks drain into the shower compartment, not into the wall.




Multiple Mounting Options
Multiple mounting points and depth options allow the rough to be installed with any commonly used mounting system.




Built-In Service Stops
Allows easy servicing of the valve and other components.



180° Rotational Symmetry
Even if the rough is installed upside down, the trim can still be mounted to the rough, avoiding costly repairs.



Simplified Pipe Flushing
The rough can easily be flushed prior to installing the function block. Hot and cold water remain isolated while passing through the flushing insert.



Extension Set
Even if the rough has been mounted too deeply into the wall, the problem is easily solved with an extension set. The extension set (sold separately) ensures a water-tight seal, keeping the walls free from dampness.



Trim Includes Function Block
Function block is supplied with trim, not the rough, allowing trim to be ordered later in the process, which may reduce warehousing, theft, and damage due to dirt or frost during the building phase.



Shallow Extension Set
Limited installation depths are not a problem, thanks to the shallow extension set. Simply installing the set between the tiles and trim allows for installation in walls as shallow as 2 1/4".




Reduced Noise Transfer
The brass function block rests on rubber seals, so pipe vibrations transferred to the wall will be reduced. The trim carrier plate attaches to the housing, not the function block, minimizing noise transfer to the finished wall.

iBox: Installation



iBox Universal Plus Package Contents
Rough, installation flange, 1 plug, flushing insert, protective cap, and assembly instructions.



Create Connection Fittings
When using copper pipes, connection fittings should be created prior to installation.




Install Connection Fittings
Clamp the rough in a vice using a 3/4" nipple threaded into the top or bottom outlet, then install connection fittings.




Level Mounting
Mount the rough in exactly the right position using the integrated leveling points.



Connect Water Supply
Solder the water supply pipes and other risers to the previously installed fittings. Note: Please maintain a minimum 4" distance from the housing while soldering.



Valve Flushing
Simply turn on the water supply to flush the valve. The water passes through the flushing insert, which comes pre-installed.



Shut Off Water
After flushing, shut off water using built-in service stops, operated by an Allen wrench or flathead screwdriver. Replace protective cap.



Cut a Hole in the Wall
Trim a 5" diameter hole in the wall material to accommodate the rough.

iBox + ShowerSelect Trims

By integrating the iBox Universal Plus rough with ShowerSelect trims, the hansgrohe brand has done it once again. Creating the perfect shower installation has never been so easy. Geometric design and revolutionary push-button control are

combined into a sleek package. A simple touch of a button is all it takes to switch functions on and off, or to change the spray modes. Everything works purely mechanically, providing long-lasting reliability and satisfaction. Hansgrohe

ShowerSelect Trims are available with square or round escutcheon plates.



ShowerSelect Square
Thermostatic 1-Function Trim



ShowerSelect Square
Thermostatic 2-Function Trim



ShowerSelect Round
Thermostatic 1-Function Trim



ShowerSelect Round
Thermostatic 2-Function Trim


Shower Trim Installation



Trim Package Contents
Escutcheon, carrier plate, function block, support housings, mounting screws, handles, handle adaptors, and assembly instructions.



Remove Excess Plaster Shield
Cut the excess plaster shield until it protrudes approximately 1/8" beyond the finished wall.



Seal With Silicone
To prevent moisture from entering the wall, seal the joint between the rough and the finished wall with silicone.



Remove Flushing Insert
Remove protective cap, then remove flushing insert by removing Allen screw. Remember to shut off the water if necessary using the service stops!



Install Function Block
Using the four mounting screws provided, install the function block on the rough. Re-open service stops to turn on water supply.



Install Carrier Plate
Use the included plastic screws to attach the carrier plate to the rough housing, preventing noise transfer and water leaks.



Install the Escutcheon
Simply fit escutcheon over the carrier plate – no screws or bolts needed. Rubber seal and O-rings on cartridges guarantee a firm hold.



Install the Handles
Finally, attach handles with the included set screws.



Completed Shower



Installation Video
For more information, scan for a video on the iBox Universal Plus rough.

Care Instructions

Cleaning the showerhead:

Incorrect cleaning methods and agents may damage to your showerhead. This damage is not covered by warranty.

- Use a soft, clean cloth, but never abrasive items such as sponges or microfiber cloths.
- Do not use steam cleaners, because high temperatures can damage the shower.
- Only use gentle cleaning agents, for example citric acid-based ones. Do not use any cleaning agents containing hydrochloric acid, formic acid, chlorine bleach or acetic acid, as they may cause significant damage. Cleaners containing phosphoric acid can only be used under certain conditions. Never mix cleaning agents!
- Never spray cleansers directly on showers, because spray mist can penetrate into the shower and cause damage. It's best to spray the cleaning agent on a soft cloth and then use it wipe off the surfaces.
- After cleaning, rinse your shower thoroughly with clear water.

Cleaning the faucet:

A faucet is in daily use. While it takes care of cleaning, it itself often becomes a “victim” of dirt and grime. Our hands leave behind greasy residues, along with dirt particles and more. Water also places the material under strain in the form of limescale deposits.

Step 1: The finish on the faucet is best cleaned with a soft cotton cloth (slightly damp only if necessary). By gently wiping, you will already remove most of the dirt without damaging the material. Please do not use sponges, brushes, or microfiber cloths.

Step 2: Limescale residues are typically deposited in corners and at joints. For this, use a mild, citric acid-based cleanser. Please do not spray the concentrate directly onto the faucet but onto a cloth instead.

Step 3: The aerator is easy to remove for cleaning. If you place it in warm water with a little cleaning agent, the deposits will dissolve after about ten minutes of exposure. Lots of hansgrohe products are equipped with QuickClean technology. With this quick anti-limescale function, you can easily rub limescale off of the faucet.

Step 4: Thoroughly rinse the faucet with clear water.

Step 5: Repeat the first step again to remove any cleaning agent residues and give the surface a radiant finish.

Choosing a cleaning agent:

We recommend to use a gentle citric acid-based cleaning agent. Conventional concentrates with lots of cleaning power often irritate hands and eyes; they can trigger allergies and irritate sensitive skin. The faucet reacts similarly. Its material is also attacked if the chemicals are too strong. The damage may go unnoticed at first, but microscopically small scratches or superficial burns are all it takes to cloud the high-gloss finish. In the long term, more dirt and limescale can accumulate in these spots. Gentle cleaning agents are also more environmentally friendly.

If you have hard water in your region, limescale deposits are likely. Keep residues from accumulating by briefly wiping the faucet after each rinsing or washing. This removes tap water before it has a chance to leave deposits behind.

Warranty

This limited warranty extends to the original purchaser only. This warranty is non-transferable. Hansgrohe, Inc. neither assumes nor authorizes any person to create for it any other obligation or liability in connection with this product. If you are a consumer who purchased the product for use primarily for personal, family or household purposes, this limited warranty starts on the date of purchase and extends for as long as you own the product and the home in which the product is originally installed. If you purchased the product for use primarily for any other purpose, including, without limitation, a commercial purpose, this limited warranty starts on the date of purchase and extends (i) for 1 year, with respect to hansgrohe brand products and commercial products, and (ii) for 5 years, with respect to AXOR products. The Rubbed Bronze finish is subject to a 3-year limited warranty starting on the date of purchase.

This limited warranty covers only your manufactured product. Hansgrohe, Inc. warrants this product against defects in material or workmanship as follows: Hansgrohe, Inc. will replace at no charge for parts only or, at its option, replace any product or part of the product that proves defective because of improper workmanship and/ or material, under normal installation, use, service and maintenance. If Hansgrohe, Inc. is unable to provide a replacement and repair is not practical or cannot be made in timely fashion, Hansgrohe, Inc. may elect to refund the purchase price in exchange for the return of the product. Labor is not included in the warranty.

This warranty is limited to products manufactured by Hansgrohe, Inc. that are purchased from a Hansgrohe, Inc. authorized seller by a consumer in the United States or Canada after September 1, 2019, and installed in either the United States or Canada.





mosaic

Products. Design. Solutions.

Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA
North Bethesda, MD* | Owings Mills, MD* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com



Noted (*) locations are 100% wind powered! All locations support renewable power sources.

