

Pietra Naturale

NATURAL STONE PROGRAM



mosaic



Products. Design. Solutions.
www.mosaictileco.com



Table of Contents

Marble	
Waterjet Mosaics	2
Arabescato	6
Athens Gray	8
Calacatta	10
Dark Gray	11
Highland Gris	12
Italian Carrara	14
Mariner	16
Mountain Blue / Palissandro	17
Mystic	18
Thassos	20
Wooden White	22
Zebra / Marmala	24
Pebbles	25
Quartzite	26
Natural Stone Guidelines	27



Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



QuickSHIP products are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.




* Star Thassos White and Shell
(14x14.75 Sheet)
53WATSTASHEP



* Thassos Polished
with Mirror Flower Inlay (1.17sf)
53WATFLOTHAMIRP



* Thassos Polished
with Brass Floral Design (1.08sf)
53WATFLOTHABRAP



* Thassos with Mother
of Pearl (14x19 Sheet)
53WATTHAMOT1419M



* Batik – Carrara White and
Antique Mirror
(8.19x11 Sheet)
53CARANTP



* Lux Posh – Calacatta Polished
and Gold
(11.41x14.37 Sheet)
53LUXPOS1114P



* Bellagio – Carrara White and
Thassos
(10.35x14.25 Sheet)
53WATBELCARTHAP



* Bellagio – Carrara White and
Antique Mirror
(10.35x14.25 Sheet)
53WATBELCARANTP



* Ribbons - Black
and Gold (1.17sf)
53WATBLAGOL1214



* Random Length Calacatta
Polished with Gold Accents (.84sf)
53WATCALGOLRANP



* Lux Opulence – Calacatta
Polished and Gold
(11.02x10.24 Sheet)
53LUXOPU1110P



* Lux Bliss – Calacatta Polished
and Gold
(12.2x12 Sheet)
53LUXBLI12P



* Peacock – Satin Polished (.91sf)
72WATPEA1112



* Fan – Satin Polished (.57sf)
72WATFAN109



* Rope – Amber Polished (.65sf)
72WATROP812



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.




† Mini Arabesque
Carrara White Polished
(10.24x10.63 Sheet)
53WATARACARP



† Trellis – Thassos and
Carrara White
(8.7x8.89 Sheet)
53WATTRETHACARP



† Marrakech – Thassos
and Carrara White
(8.74x9.84 Sheet)
53WATMARTHACARP



* Thassos and Tunisian Gray
(11.75x12.15 Sheet)
53WATTHATUNP



* White and Gray
Elongated Hex and Diamond
(15x12 Sheet)
53MARWHIGRA1512EHD



* Patterned Thassos White and
Athens Gray
53WATTHAATH12



* Ribbon and Dot – Thassos and
Calacatta White
(12.5x13.15 Sheet)
53WATTHACALP



* Lux Lavish – Thassos and
Carrara Polished
(12.32x11.1 Sheet)
53LUXLAV1211P



* Carrara / Thassos Floral
Polished (.58sf)
53WATFLOCARTHAP



* Lily – Thassos
and Palissandro
53WATTHAPAL12L




* Astral White – Dolomite
and Palissandro
53WATASTWHI12




* Astral Gray – Thassos
and Palissandro
53WATASTGRA12



Shell – Arabescato Polished
(11x11.5 Sheet)
53SHEARA12P



* X Pattern Bianco Carrara
and Thassos
53WATCARTHA12X



* Cubic – Blue, Satin,
and Bianco Dolomite
72WATCUB12




* Windows Arabescato
and Black
53WATWINARABLA12M



* Tulip Thassos and Black
53WATTULTHABLAP



† Hex – Thassos, Carrara,
and Black Water
(14x16 Sheet)
53WATHEXTHACARP



* Arabescato with Carrara Border
Polished Subway (.71sf)
53SUBARACARP




1x3 Herringbone Boardwalk
53HERARA13



Waterjet Polished Shell
(11x11.5 Sheet)
53SHEARA12P




Polished Basketweave
with Athens Gray Dot
53MARARAT12B




Polished Basketweave
with Black Dot
53MARARA12BM



Bianco Zebrano Flat Pebble
53PEBBIA12



1" Hexagon Polished
53MARARA1HP



1" Hexagon Honed
53MARARA1HH




* 3" Hex Polished
(13.15x11 Sheet)
53MARARA3HP



* 2x4 Brick Honed
53MARARA24BH



* Windows Arabescato
and Black
53WATWINARABLA12M



White Carrara Thresholds:

- 2x36x3/4
- 2x36x3/8
- 4x28x5/8
- 4x30x5/8
- 4x36x5/8
- 4x50x5/8
- 4x72x5/8
- † 6x36x5/8
- 6x72x5/8



* 6" Hex Polished
(12x10 Sheet)
53MARARA6HP



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.

Mosaics sold on 12x12 Sheets unless noted.



Arabescato Polished
Basketweave with
Athens Gray Dot
53MARARAT12B




* Patterned Thassos White
and Athens Gray
53WATTHAATH12



* 3" Soft Harmony Feathers –
Athens Gray, Wooden White,
Carrara (9.65x9.69 Sheet)
53FEASOF3



† 10" Shelf Honed
53FIXATHCS10



Thresholds:
† 4x36x3/4 Honed



* Multi Square Honed
53MARATH12MS



* 2" Trinity Hex
53HEXATH2T



* Arrow Weave – Athens Gray,
Wooden White, and Pure Black
Honed (12x12.75 Sheet)
53ARRWHIATH12H



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

We recommend installing Athens Gray Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



* Lux Opulence – Calacatta Pol, Gold (11.02x10.24 Sheet)
53LUXOPU1110P



* Lux Posh – Calacatta Polished and Gold (11.41x14.37 Sheet)
53LUXPOS1114P



* Lux Bliss – Calacatta Polished and Gold (12.2x12 Sheet)
53LUXBLI12P



* Random Length Calacatta Polished with Gold Accents (.84sf)
53WATCALGOLRANP



* 5/8" Calacatta Polished
53MARCAL58P



* Ribbon and Dot – Thassos, Calacatta (12.5x13.15 Sheet)
53WATTHACALP



* 3x6 Polished
53MARDAR36P



* 3/4x12 Polished Pencil
53MARDAR112PP



* Droplet Honed (10.67x12 Sheet)
53DRODAR1112H




Availability Notes

* Special Order: Two week lead time plus freight pending availability.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.




Availability Notes

* Special Order: Two week lead time plus freight pending availability.


Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.


Mosaics sold on 12x12 Sheets unless noted.



Insignia Chevron Honed
72MARHIG12CH



Insignia Chevron Polished
72MARHIG12CP



†2x2 Mosaic Honed
72MARHIG2MH



†2x2 Mosaic Polished
72MARHIG2MP



3" Hexagon Honed
72MARHIG3HH



3" Hexagon Polished
72MARHIG3HP



10" Shelf Polished
72FIXHIGCS10

20" Seat Polished
72FIXHIGCS20

1/2x12 Somerset Pencil Honed
72MARHIG512SPH

1/2x12 Somerset Pencil Polished
72MARHIG512SPP

2x12 Chair Rail Polished
72MARHIG212CP

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due to the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.

Due to the inherent characteristics of this natural stone, the material will absorb moisture during the installation process and will look darker in appearance. As conditions will vary, it will take time for the product to fully cure and dry out.



3x6 Honed
72MARHIG36H



3x12 Honed
72MARHIG312H



3x6 Polished
72MARHIG36P



3x12 Polished
72MARHIG312P



12x24 Honed
72MARHIG1224H




12x24 Polished
72MARHIG1224P



Availability Notes

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.


Mosaics sold on 12x12 Sheets unless noted.



* 1x1 Polished
53MARCAR1P




2" Polished Hex
92MARCAR2HP




† Waterjet Mini Arabesque
(10.24x10.63 Sheet)
53WATARACARP




* 2x8 Elongated Polished Hexagon
(12.75x15 Sheet)
53MARCAR28EHP



* 1x2 Honed Herringbone
(11.4x11.6 Sheet)
53HERCAR12H



* Polished Beveled Diamond
(11.4x11.8 Sheet)
53MARCAR1112DB



* X Pattern Bianco Carrara and Thassos
53WATCARTHA12X



* Soft Harmony 3" Feather – Athens Gray, Wooden White, Carrara
(9.65x9.69 Sheet)
53FEASOF3



* Bellagio – Carrara White and Thassos
(10.35x14.25 Sheet)
53WATBELCARTHAP



* Bellagio – Carrara White and Antique Mirror
(10.35x14.25 Sheet)
53WATBELCARANTP



† Marrakech – Thassos and Carrara White
(8.74x9.84 Sheet)
53WATMARTHACARP



* Batik – Carrara White and Antique Mirror
(8.19x11 Sheet)
53CARANTP



* Carrara / Thassos Floral Polished (.58sf)
53WATFLOCARTHAP



† Trellis – Thassos and Carrara White
(8.7x8.89 Sheet)
53WATTRETHACARP



* Lux Lavish – Thassos and Carrara Polished
(12.32x11.1 Sheet)
53LUXLAV1211P




* Arabescato with Carrara Border Polished Subway (.71sf)
53SUBARACARP



† Hex – Thassos, Carrara, and Black Water
(14x16 Sheet)
53WATHEXTHACARP



10" Corner Shelf
92FIXCARCS10



White Carrara Thresholds:
2x36x3/4
2x36x3/8
4x28x5/8
4x30x5/8
4x36x5/8
4x50x5/8
4x72x5/8
† 6x36x5/8
6x72x5/8



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.




Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



3x12 Leathered
72MARMAR312L



2" Hexagon Leathered
72MARMAR2HL



† 10" Shelf Polished
72FIXMARCS10



† 4x36x3/4 Threshold Polished
72436MAR34



Availability Notes

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



* Lily – Thassos and Palissandro
53WATTHAPAL12L



* Astral White – Dolomite and Palissandro
53WATASTWHI12



* Astral Gray – Thassos and Palissandro
53WATASTGRA12



* Mountain Blue Strip Honed
(12.4x12 Sheet)
53STRMOU12H



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



3x6 Honed
72MARMYS36H



3x6 Polished
72MARMYS36P




1/2x12 Somerset Pencil Honed
72MARMYS512SPP




1/2x12 Somerset Pencil Polished
72MARMYS512SPH



† 1x12 Pencil Honed
72MARMYS112PH



2" Hexagon Honed
72MARMYS2HH



2" Hexagon Polished
72MARMYS2HP



1x3 Herringbone Honed
72MARMYS13HH



1x3 Herringbone Polished
72MARMYS13HP

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due to the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.



honed




polished



Availability Notes

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.


Mosaics sold on 12x12 Sheets unless noted.




* Lux Lavis – Thassos and Carrara Polished (12.32x11.1 Sheet) 53LUXLAV1211P



* Thassos White and Hot Glass (.84sf) 53GLATHA11M



* Thassos with Mother of Pearl (14x19 Sheet) 53WATTHAMOT1419M



* X Pattern Bianco Carrara and Thassos 53WATCARTHA12X



† Trellis – Thassos and Carrara White (8.7x8.89 Sheet) 53WATTRETHACARP




† Marrakech – Thassos and Carrara White (8.74x9.84 Sheet) 53WATMARTHACARP




* Carrara / Thassos Floral Polished (.58sf) 53WATFLOCARTHAP



* Ribbon and Dot – Thassos, Calacatta (12.5x13.15 Sheet) 53WATTHACALP



* Thassos 3" Hex Polished (12x10 Sheet) 53MARTHA3HP



* Thassos, Tunisian Gray (11.75x12.15 Sheet) 53WATTHATUNP



* Patterned Thassos White and Athens Gray 53WATTHAATH12



* Lily – Thassos and Palissandro 53WATTHAPAL12L



* Thassos Polished with Brass Floral Design (1.08sf) 53WATFLOTHABRAP



* Thassos Polished with Mirror Flower Inlay (1.17sf) 53WATFLOTHAMIRP



* Star Thassos White and Shell (14x14.75 Sheet) 53WATSTASHEP



* Bellagio – Carrara, Thassos (10.35x14.25 Sht) 53WATBELCARTHAP



* White Thassos 6x12 Polished Tile 53MARTHA612P



* Tulip Thassos and Black 53WATTULTHABLAP



† Hex – Thassos, Carrara, Black Water (14x16 Sht) 53WATHEXTHACARP



* Astral Gray – Thassos and Palissandro 53WATASTGRA12



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



† 3x6 Honed Vein Cut
53MARWHI36H



* Arrow Weave – Wooden White, Athens Gray, and Pure Black Honed (12x12.75 Sheet)
53ARRWHIATH12H



* Soft Harmony 3" Feathers – Athens Gray, Wooden White, and Carrara (9.65x9.69 Sheet)
53FEASOF3



† Resort Collection Relax Blend
53RESREL12M




* Galena Gray 3" Lantern – Crackle Glass and Wooden White (11.81x12.21 Sheet)
53LANGAL3



† 10" Shelf Honed
53FIXWHICS10

† 20" Corner Seat Honed
53FIXWHICS20



Thresholds:
† 4x36x3/4 Honed
† 4x50x3/4 Honed
† 6x72x3/4 Honed



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

We recommend installing Wooden White Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Bianco Zebrano Flat Pebble
53PEBBIA12



Shadow Sliced
47BOTSHA12SL



* Zebra 3x6 Chevron Polished
(8.5x11.5 Sheet)
53CHEZEB12P



Shadow Blend Sliced
47BOTSHABLE12SL



* Zebra 12x24 Polished
53MARZEB1224P



* Zebra Basketweave with White
Dot Polished (11.5x11.5 Sheet)
53MARZEB12BM



* Marmala Chevron Polished
(11.42x12.2 Sheet)
53CHEMAR1112P



Cream Sliced
47BOTCRE12SL



Blend Sliced
47BOTBLE12SL



Olive Sliced
47BOTOLI12SL



Khaki Sliced
47BOTKHA12SL



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.
Mosaics sold on 12x12 Sheets unless noted.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



† Mineral Stix Linear – Glass and Golden Harvest Quartzite
53STIMIN12M



* Waterrock Green Linear Quartzite
53QUAGRE12WM

Natural Stone Guidelines

Natural Stone tiles should be installed by an experienced and qualified tile contractor or stone mason. Since these are natural products, it is essential that the client and the installer use appropriate setting materials that are specifically designed for use with stone. Mosaic is happy to assist in the choice of setting materials, however, we cannot be held responsible for their use for any particular purpose. We recommend TEC and Custom Building Products installation materials and can provide you with more specific instructions based on your particular application. Since each stone is unique with respect to color, veining, structure, etc., any samples that are submitted are intended to merely suggest the final outcome. Due to the inherent characteristics of the material, variations are guaranteed and part of the natural beauty of each stone.

Blending

Often the range and variation of patterns within one color and finish of stone is random – or it could be consistent. Since stone tiles are cut from large blocks, the patterning may be consistent within one carton but vary greatly from the next. Before starting an installation, it is imperative that all tiles be blended and sorted so the complete range can be seen. Mixing the tiles from all cartons will ensure a more uniform and well blended overall look.

Dry Layout

Most natural stones are one of the following:

Directional – Grain running in one direction across the tile, like Onyx

Figured – Veins and markings running in swirls or a number of directions, like Marble

Multi-Colored – Sometimes subtle and sometimes dramatic color variations, like Slate

Directional tiles may be laid end-to-end, in a parquet pattern or random. Figured and multi-colored stones should be arranged like an abstract painting, with the owner, designer and installer rearranging the individual tiles in a sample area until the desired effect is obtained. Doing this dry run will eliminate any room for error.

Installation Method

Consult the TEC or Custom Building Products setting materials guide for appropriate information for your specific stone and job conditions. Always use a premium white thinset for light colored stones, as the mortar may bleed through and stain the surface of the tile. If installing over a wood subfloor, ensure that the area is properly prepared to accept stone. Be sure to use a new glass or porcelain cutting blade to ensure clean, smooth cuts and to avoid potential splintering.

Sealing, Care & Maintenance

All natural stone installations should be sealed both before and after grouting. Be sure that the surface is completely cleaned of any residual mortar prior to sealing. Grout the installation after the penetrating sealer has thoroughly dried. Choose a grout appropriate to your specific installation. Follow the manufacturer's instructions carefully.

A regular maintenance routine should be established for sealing and cleaning the installation. Neutral pH cleaners can be used for day-to-day maintenance, with more powerful cleaners or poultices for specific stains. The stone should be resealed at 1 to 3 years in commercial applications and after 2 to 6 years for residential.

See the Mosaic Natural Stone Care & Maintenance guide for more details.



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



For samples, fax request to 866-480-TILE (8453)
or email samples@mosaictileco.com



Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA
North Bethesda, MD* | Owings Mills, MD* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com



Noted (*) locations are
100% wind powered!
All locations support
renewable power sources.

