

Pietra Naturale

NATURAL STONE PROGRAM



mosaic



Products. Design. Solutions.
www.mosaictileco.com





Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

Table of Contents

Marble	
Waterjet Marble Mosaics	2
Arabescato Marble	6
Athens Gray Marble	8
Blue Vecchio Marble	10
Calacatta Marble.	11
Crema Barley Marble	12
Dark Gray Marble	13
Highland Gris Marble	14
Italian Carrara Marble	16
Mariner Marble	18
Mountain Blue / Palissandro Marble	19
Mystic Marble	20
Thassos Marble	22
Wooden White Marble	24
Zebra / Marmala Marble	26
Limestone	
Terra Dune Limestone.	27
Pebbles	28
Natural Stone Guidelines.	29




QuickSHIP products are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.



* Bellagio – Carrara White and Thassos
(10.35x14.25 Sheet)
53WATBELCARTHAP



* Bellagio – Carrara White and Antique Mirror
(10.35x14.25 Sheet)
53WATBELCARANTP



* Thassos with Mother of Pearl (14x19 Sheet)
53WATTHAMOT1419M



* Star Thassos White and Shell
(14x14.75 Sheet)
53WATSTASHEP



* Thassos Polished with Mirror Flower Inlay (1.17sf)
53WATFLOTHAMIRP



* Thassos Polished with Brass Floral Design (1.08sf)
53WATFLOTHABRAP



* Batik – Carrara White and Antique Mirror
(8.19x11 Sheet)
53CARANTP



* Lux Bliss – Calacatta Polished and Gold
(12.2x12 Sheet)
53LUXBLI12P



* Lux Posh – Calacatta Polished and Gold
(11.41x14.37 Sheet)
53LUXPOS1114P



* Random Length Calacatta Polished with Gold Accents (.84sf)
53WATCALGOLRANP



* Lux Opulence – Calacatta Polished and Gold
(11.02x10.24 Sheet)
53LUXOPU1110P



* Cubic – Blue, Satin, and Bianco Dolomite
72WATCUB12



* Peacock – Satin Polished (.91sf)
72WATPEA1112



* Fan – Satin Polished (.57sf)
72WATFAN109



* Rope – Amber Polished (.65sf)
72WATROP812



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.




* Mini Arabesque
Carrara White Polished
(10.24x10.63 Sheet)
53WATARACARP



† Trellis – Thassos and
Carrara White
(8.7x8.89 Sheet)
53WATTRETHACARP



† Marrakech – Thassos
and Carrara White
(8.74x9.84 Sheet)
53WATMARTHACARP



* Thassos and Tunisian Gray
(11.75x12.15 Sheet)
53WATTHATUNP



* White and Gray
Elongated Hex and Diamond
(15x12 Sheet)
53MARWHIGRA1512EHD



* Patterned Thassos White and
Athens Gray
53WATTHAATH12



* Ribbon and Dot – Thassos and
Calacatta White
(12.5x13.15 Sheet)
53WATTHACALP



* Lux Lavish – Thassos and
Carrara Polished
(12.32x11.1 Sheet)
53LUXLAV1211P




* Carrara / Thassos Floral
Polished (.58sf)
53WATFLOCARTHAP



* Lily – Thassos
and Palissandro
53WATTHAPAL12L




* Astral White – Dolomite
and Palissandro
53WATASTWHI12



* Astral Gray – Thassos
and Palissandro
53WATASTGRA12



† Shell – Arabescato Polished
(11x11.5 Sheet)
53SHEARA12P



* X Pattern Bianco Carrara
and Thassos
53WATCARTHA12X




* Windows Arabescato
and Black
53WATWINARABLA12M



* Tulip Thassos and Black
53WATTULTHABLAP



* Hex – Thassos, Carrara,
and Black Water
(14x16 Sheet)
53WATHEXTHACARP



* Arabescato with Carrara Border
Polished Subway (.71sf)
53SUBARACRP




1x3 Herringbone Boardwalk
53HERARA13



† Shell – Arabescato Polished
(11x11.5 Sheet)
53SHEARA12P




Polished Basketweave
with Athens Gray Dot
53MARARAT12B




Polished Basketweave
with Black Dot
53MARARA12BM



Bianco Zebano Flat Pebble
53PEBBIA12



1" Hexagon Polished
53MARARA1HP



1" Hexagon Honed
53MARARA1HH




* 3" Hex Polished
(13.15x11 Sheet)
53MARARA3HP



* 2x4 Brick Honed
53MARARA24BH



* Windows Arabescato and Black
53WATWINARABLA12M



White Carrara Thresholds:
2x36x3/4
2x36x3/8
4x28x5/8
4x30x5/8
4x36x5/8
4x72x5/8
6x72x5/8



* 6" Hex Polished
(12x10 Sheet)
53MARARA6HP



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



Polished Basketweave
with Athens Gray Dot
53MARARAT12B




* Patterned Thassos White
and Athens Gray
53WATTHAATH12



* 3" Soft Harmony Feathers –
Athens Gray, Wooden White,
Carrara (9.65x9.69 Sheet)
53FEASOF3



† 10" Shelf Honed
53FIXATHCS10



† 4x36x3/4 Honed Threshold
53436ATH34



* Multi Square Honed
53MARATH12MS



* 2" Trinity Hex
53HEXATH2T



* Arrow Weave – Athens Gray,
Wooden White, and Pure Black
Honed (12x12.75 Sheet)
53ARRWHIATH12H



Availability Notes

* Special Order: Two week lead time
plus freight pending availability.

† Limited Availability. Confirm
inventory prior to ordering.

Installation Notes

We recommend installing Athens Gray Marble with Super Flex™ or
epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability,
TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for
proper installation.


Mosaics sold on 12x12 Sheets unless noted.



1x3 Herringbone
Polished (1.09sf)
72MARBLU13HP



2" Hexagon Polished (.97sf)
72MARBLU2HP



3/4" Penny Round
Polished (.80sf)
72MARBLU34PP



Availability Notes

Special Order: Two week lead time plus freight pending availability.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Lux Opulence – Calacatta Pol,
Gold (11.02x10.24 Sheet)
53LUXOPU1110P



Lux Posh – Calacatta Polished
and Gold (11.41x14.37 Sheet)
53LUXPOS1114P



Lux Bliss – Calacatta Polished
and Gold (12.2x12 Sheet)
53LUXBLI12P



Random Length Calacatta
Polished with Gold Accents (.84sf)
53WATCALGOLRANP



Availability Notes

Special Order: Two week lead time plus freight pending availability.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.
Mosaics sold on 12x12 Sheets unless noted.



5/8" Calacatta Polished
53MARCAL58P



Ribbon and Dot – Thassos,
Calacatta (12.5x13.15 Sheet)
53WATTHACALP



12x24 Honed
72MARCRE1224H



12x24 Polished
72MARCRE1224P



Availability Notes

Special Order: Two week lead time plus freight pending availability.

Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



3x6 Polished
53MARDAR36P



3/4x12 Polished Pencil
53MARDAR112PP



Droplet Honed
(10.67x12 Sheet)
53DRODAR1112H




Availability Notes

Special Order: Two week lead time plus freight pending availability.


Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Insignia Chevron Honed
72MARHIG12CH



† Insignia Chevron
Polished
72MARHIG12CP



10" Shelf Polished
72FIXHIGCS10



1/2x12 Somerset Pencil
Honed
72MARHIG512SPH



1/2x12 Somerset Pencil
Polished
72MARHIG512SPP



2x12 Chair Rail Polished
72MARHIG212CP



3" Hexagon Honed
72MARHIG3HH



† 3" Hexagon Polished
72MARHIG3HP



3x6 Honed
72MARHIG36H



3x12 Honed
72MARHIG312H



3x6 Polished
72MARHIG36P



3x12 Polished
72MARHIG312P



12x24 Honed
72MARHIG1224H



12x24 Polished
72MARHIG1224P

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due to the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.

Due to the inherent characteristics of this natural stone, the material will absorb moisture during the installation process and will look darker in appearance. As conditions will vary, it will take time for the product to fully cure and dry out.



Availability Notes

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.


Mosaics sold on 12x12 Sheets unless noted.



* 1x1 Polished
53MARCAR1P



† 2" Polished Hex
92MARCAR2HP



* Waterjet Mini
Arabesque
(10.24x10.63 Sheet)
53WATARACARP




* 2x8 Elongated
Polished Hexagon
(12.75x15 Sheet)
53MARCAR28EHP




† Trellis – Thassos and
Carrara White
(8.7x8.89 Sheet)
53WATTRETHACARP



* Polished Beveled
Diamond
(11.4x11.8 Sheet)
53MARCAR1112DB



* X Pattern Bianco
Carrara and Thassos
53WATCARTHA12X



* 3" Soft Harmony
Feathers – Athens Gray,
Wooden White, Carrara
(9.65x9.69 Sheet)
53FEASOF3



* Bellagio – Carrara White
and Thassos
(10.35x14.25 Sheet)
53WATBELCARTHAP



* Bellagio – Carrara White
and Antique Mirror
(10.35x14.25 Sheet)
53WATBELCARANTP



† Marrakech – Thassos
and Carrara White
(8.74x9.84 Sheet)
53WATMARTHACARP



* Batik – Carrara White
and Antique Mirror
(8.19x11 Sheet)
53CARANTP



* Carrara / Thassos
Floral Polished (.58sf)
53WATFLOCARTHAP



* Lux Lavish – Thassos
and Carrara Polished
(12.32x11.1 Sheet)
53LUXLAV1211P



* Arabescato with Carrara
Border Polished Subway
(.71sf)
53SUBARACARP



* Hex – Thassos, Carrara,
and Black Water
(14x16 Sheet)
53WATHEXTHACARP



† 10" Corner Shelf
92FIXCARCS10



White Carrara
Thresholds:
2x36x3/4
2x36x3/8
4x28x5/8
4x30x5/8
4x36x5/8
4x72x5/8
6x72x5/8



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.


Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



3x12 Leathered
72MARMAR312L



10" Shelf Polished
72FIXMARCS10



4x36x3/4 Threshold Polished
72436MAR34



Availability Notes

Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Lily – Thassos and
Palissandro
53WATTHAPAL12L



Astral White – Dolomite
and Palissandro
53WATASTWHI12



Astral Gray – Thassos
and Palissandro
53WATASTGRA12



Mountain Blue Strip
Honed (12.4x12 Sheet)
53STRMOU12H



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



3x6 Honed
72MARMYS36H



3x6 Polished
72MARMYS36P



1/2x12 Somerset Pencil Polished
72MARMYS512SPH




Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.



Availability Notes
Limited Availability. Confirm inventory prior to ordering.

Installation Notes
Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.
Mosaics sold on 12x12 Sheets unless noted.



* Thassos Polished
with Brass Floral Design
(1.08sf)
53WATFLOTHABRAP



* Thassos Polished with
Mirror Flower Inlay
(1.17sf)
53WATFLOTHAMIRP



* Star Thassos White and
Shell
(14x14.75 Sheet)
53WATSTASHEP




* Bellagio – Carrara,
Thassos (10.35x14.25 Sht)
53WATBELCARTHAP




* Lux Lavish – Thassos
and Carrara Polished
(12.32x11.1 Sheet)
53LUXLAV1211P



* Thassos White and
Hot Glass (.84sf)
53GLATHA11M



* Thassos with Mother
of Pearl (14x19 Sheet)
53WATTHAMOT1419M



* X Pattern Bianco
Carrara and Thassos
53WATCARTHA12X



† Trellis – Thassos and
Carrara White
(8.7x8.89 Sheet)
53WATTRETHACARP




† Marrakech – Thassos
and Carrara White
(8.74x9.84 Sheet)
53WATMARTHACARP




* Carrara / Thassos
Floral Polished (.58sf)
53WATFLOCARTHAP



* Ribbon and Dot –
Thassos, Calacatta
(12.5x13.15 Sheet)
53WATTHACALP



* Thassos 3" Hex
Polished (12x10 Sheet)
53MARTHA3HP



* Thassos, Tunisian Gray
(11.75x12.15 Sheet)
53WATTHATUNP



* Patterned Thassos
White and Athens Gray
53WATTHAATH12



* Lily – Thassos
and Palissandro
53WATTHAPAL12L



* White Thassos
6x12 Polished Tile
53MARTHA612P



* Tulip Thassos
and Black
53WATTULTHABLAP



* Hex – Thassos, Carrara,
Black Water (14x16 Sht)
53WATHEXTHACARP



* Astral Gray – Thassos
and Palissandro
53WATASTGRA12



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.

Mosaics sold on 12x12 Sheets unless noted.



† 3x6 Honed Vein Cut
53MARWHI36H



* Arrow Weave – Wooden White, Athens Gray, and Pure Black Honed (12x12.75 Sheet)
53ARRWHIATH12H



* Soft Harmony 3\"/>



† Resort Collection Relax Blend
53RESREL12M




* Galena Gray 3\"/>



† 10\"/>

† 20\"/>



Thresholds:
† 4x36x3/4 Honed
† 4x50x3/4 Honed



Availability Notes

* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

We recommend installing Wooden White Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Bianco Zebrano Flat Pebble
53PEBBIA12



* Marmala Chevron Polished
(11.42x12.2 Sheet)
53CHEMAR1112P



* Zebra Basketweave with White
Dot Polished (11.5x11.5 Sheet)
53MARZEB12BM



* Zebra 12x24 Polished
53MARZEB1224P



* Zebra 3x6 Chevron Polished
(8.5x11.5 Sheet)
53CHEZEB12P




Availability Notes

* Special Order: Two week lead time plus freight pending availability.


Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



12x24 Honed
72LIMDUN1224H



12x24 Polished
72LIMDUN1224P



Availability Notes

Special Order: Two week lead time plus freight pending availability.

Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Shadow Sliced
47BOTSHA12SL



Shadow Blend Sliced
47BOTSHABLE12SL



Cream Sliced
47BOTCRE12SL



Blend Sliced
47BOTBLE12SL



Khaki Sliced
47BOTKHA12SL



Olive Sliced
47BOTOLI12SL

Natural Stone tiles should be installed by an experienced and qualified tile contractor or stone mason. Since these are natural products, it is essential that the client and the installer use appropriate setting materials that are specifically designed for use with stone. Mosaic is happy to assist in the choice of setting materials, however, we cannot be held responsible for their use for any particular purpose. We recommend TEC and Custom Building Products installation materials and can provide you with more specific instructions based on your particular application. Since each stone is unique with respect to color, veining, structure, etc., any samples that are submitted are intended to merely suggest the final outcome. Due to the inherent characteristics of the material, variations are guaranteed and part of the natural beauty of each stone.

Blending

Often the range and variation of patterns within one color and finish of stone is random – or it could be consistent. Since stone tiles are cut from large blocks, the patterning may be consistent within one carton but vary greatly from the next. Before starting an installation, it is imperative that all tiles be blended and sorted so the complete range can be seen. Mixing the tiles from all cartons will ensure a more uniform and well blended overall look.

Dry Layout

Most natural stones are one of the following:

Directional – Grain running in one direction across the tile, like Onyx

Figured – Veins and markings running in swirls or a number of directions, like Marble

Multi-Colored – Sometimes subtle and sometimes dramatic color variations, like Slate

Directional tiles may be laid end-to-end, in a parquet pattern or random. Figured and multi-colored stones should be arranged like an abstract painting, with the owner, designer and installer rearranging the individual tiles in a sample area until the desired effect is obtained. Doing this dry run will eliminate any room for error.

Installation Method

Consult the TEC or Custom Building Products setting materials guide for appropriate information for your specific stone and job conditions. Always use a premium white thinset for light colored stones, as the mortar may bleed through and stain the surface of the tile. If installing over a wood subfloor, ensure that the area is properly prepared to accept stone. Be sure to use a new glass or porcelain cutting blade to ensure clean, smooth cuts and to avoid potential splintering.

Sealing, Care & Maintenance

All natural stone installations should be sealed both before and after grouting. Be sure that the surface is completely cleaned of any residual mortar prior to sealing. Grout the installation after the penetrating sealer has thoroughly dried. Choose a grout appropriate to your specific installation. Follow the manufacturer's instructions carefully.

A regular maintenance routine should be established for sealing and cleaning the installation. Neutral pH cleaners can be used for day-to-day maintenance, with more powerful cleaners or poultices for specific stains. The stone should be resealed at 1 to 3 years in commercial applications and after 2 to 6 years for residential.

See the Mosaic Natural Stone Care & Maintenance guide for more details.



Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.

For samples, fax request to 866-480-TILE (8453)
or email samples@mosaictileco.com



Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA
North Bethesda, MD* | Owings Mills, MD* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com



Noted (*) locations are
100% wind powered!
All locations support
renewable power sources.

